

工業用縫紉機立式踏墊

Industrial Sewing Machine Standing Operation Pedal



PK-100



PK-103



PK-70 / 71 / 72



PK-73



PK-80 / 81



PK-20

工業用縫紉機立式踏墊

Industrial Sewing Machine Standing Operation Pedal

產品特色 Features

PK-100 立式踏墊



抗疲勞踏墊


厚實且吸震的踏墊，可大幅減輕站立時之足部壓力，降低疲勞感，提升工作效率，緩解膝蓋受力。

1. 不含限用塑化劑，符合歐盟REACH要求
2. 具優異的支撐，緩衝與止滑性特性
3. 斜邊的安全性設計，避免跌倒的風險
4. 微防水，微耐油
5. 主踏墊部分 通過UL94 HB耐燃測試
6. 接頭規格及控制信號特性與PK-70完全相容，可直接替代
7. 符合人體工學，未進行操作時，腳掌可完全舒適平放有別於一般踏板因角度上揚，而使操作者需長時間以腳跟支撐
8. 可由踏板控制盒調整速度與靈敏度

PK-70 / 71 立式踏板



PK-103 立式踏墊



Anti-fatigue pedal

Thick and shock-absorbable mat reduces fatigue from prolonged standing, providing support and comfort to people dedicated in working.

1. Plasticizer-free, conforms to REACH SVHC requirement
2. Excellent supporting, shock-absorbing and anti-slippery characteristics
3. Beveled edges for safety
4. Water and oil-repellent
5. Pass UL94 HBF flammability test
6. Connector and output signals fully compatible with PK-70, easy to substitute
7. Ergonomic design makes feet comfortably lay flatways while not operating, better than operators shall keep supporting on heel owing to tilt up pedals when using general ones
8. Speed and sensitivity are adjustable via pedal control box.

PK-70 適用於JUKI SC系列及ISM SV系列及其他品牌伺服控制箱

PK-71 適用部份ISM SV系列伺服控制箱

PK-70 suitable for JUKI SC series and some ISM SV series servo controllers.

PK-71 suitable for some ISM SV series servo ontrrollers.

1. 可配合站立作業需求，提高縫製效能
2. 三個踏板分別可控制起縫、切線、抬壓腳
3. 起縫低速至高速平順控制，提升效率
1. Meeting standing operation requirements, improve sewing efficiency.
2. 3 pedals individually control sewing, tread trimming and presser foot lifting.
3. Sewing smoothly from low to hight speed and more efficient.

工業用縫紉機立式踏墊

Industrial Sewing Machine Standing Operation Pedal

產品特色 Features

PK-72 立式踏板



(三微動開關控制)電壓
(Three Micro switch control) Current

1. 可配合站立作業需求，提高縫製效能
2. 三踏板分別可控制(啟縫)、就定位、客製化功能
3. 配接的控制箱或車頭為非一般縫紉機，如自動機 (套結、鎖眼...) 因需要控制的動作有車縫、抬壓腳等2個動作，另一個踏板即可依其餘附加動作需求另外進行定義

1. Meeting standing operation requirements, improve sewing efficiency.
2. 3 pedals individually control sewing start、ready or customized function.
3. If the connected control box or sewing head is not a standard sewing machine, but a specialized automatic machine (e.g., bartack, buttonhole, etc.), as it requires control over two actions: sewing and presser foot lifting. The third pedal can be defined separately according to other additional function requirements.

PK-73 立式踏板



適用於JUKI SC系列及ISM SV系列及其他品牌伺服控制箱

Suitable for JUKI SC series and some ISM SV series servo controllers.

1. 可配合站立作業需求，提高縫製效能
2. 四踏板分別可控制慢速車縫、高速車縫、切線、抬壓腳
3. 獨立式慢速車縫踏板使厚料車縫時，能簡便精確進行補針動作


1. Meeting standing operation requirements, improve sewing efficiency.
2. 4 pedals individually control low speed sewing, high speed sewing, tread trimming and presser foot lifting.
3. Independent low-speed sewing pedal makes inching sewing easy and accurate when sewing thick materials.

PK-20 手按開關



1. 手按動開關適合 JUKI AMS 電腦車
1. Manual switch for JUKI AMS machine

PK-80 / 81 立式踏板



1. 單踏踏板可控制起縫、切線、抬壓腳
2. 起縫低速至高速平順控制，提升效率

1. Single pedal controls sewing, tread trimming and presser foot lifting.
2. Sewing smoothly from low to high speed and more efficient.